

Concurrent and distributed programming

2006/2007

Dr. Arno Formella

Departamento de Informática
Universidad de Vigo

06/07

Comments

The programming exercises seem to be easy when you read their description, however, you will notice, they are not that easy once you try to solve them.

Starting I

- 1 Write the “hello world” program in Java.
- 2 Write a “hello world, thread ... speaking” program using a set of threads (consider taking a close look to the manual pages of `Thread` and `Runnable` and use both possibilities.)
- 3 Measure how many threads you can start and keep alive.

Starting II

- 4 Measure how much time a single thread needs to execute a certain task, e.g., writing 100000 times “hello world”, and how much time a set of, let’s say, 1000 threads needs to perform the same task distributing the work among them. Generate a diagram plotting the execution time over the number of running threads.
- 5 Change the work to be done by something that does not use output operations, and generate the same plot as above.
- 6 Make sure that your programs terminate smoothly, i.e., all participating threads reach their final “{”.

Starting III

Describe precisely your observations (dependencies of the results on the operating system, system load, work load, etc.).

PingPONG I

- 1 Implement a perfect `pingPONG`. Consider the following details:
 - Experiment with the different trials presented in the class notes.
 - Develop a solution with the following properties:
 - 1 Use three threads (one thread for the main program, that is the referee, and one thread for each player).
 - 2 The referee starts the game (with a message to the screen).
 - 3 The players write their `pings` and `PONGS`, respectively.
 - 4 The referee stops the game after a certain amount of time has elapsed (again writing a message to the screen).
 - 5 The players exchange the ball at most one more time.

PingPONG II

- 6 Both players/threads stop (writing a corresponding message).
 - 7 The referee writes the last message.
 - 8 The program terminates.
- Observe the difference using `notify()` or `notifyAll()` in the synchronization protocol, especially concerning the number of useless wake-ups of threads.
- 2 Extend your program to work with as many players as given in the command line. Generate a table with the execution times for different numbers of players but constant number of ball exchanges (including the trivial case of one player writing only `pings`).

PingPONG III

- 3 What would be a perfect solution? i.e., an implementation where just the next player who is to play is woken up.
- 4 Implement the game `pingPONG` between two computers.
 - Assume the IP addresses known beforehand.
 - Duplicate the output on all participating computers, each one using a different prefix, e.g., `referee:`, `player red:`, and `player blue`.

Process planning with priorities I

Implement an application with three types of processes/threads exhibiting three different priorities (let's say *A*, *B*, and *C*) while trying to access one resource.

- 1 How do you implement the control of the scheduler such that all processes have access to the resource as described in the ongoing: within the same priority group, the access to the resource follows the ordering in time, and among the different priorities the accesses should be distributed such that within the last k accesses granted at least 60 % are for class *A*, 30 % are for class *B* and the remaining 10 % are for the class *C*? (clearly, the

Process planning with priorities II

percentages count only if there are processes of a certain class available). (Hint: a scheduler is able to count.)

- 2 Argue that your solution guarantees *finite* waiting times for all processes that try to get access to the resource.

Concurrent data structures I

1 Preparation:

- Study closely the package `java.util.concurrent`.
- Study the implementation of a concurrent list

<http://trevinca.ei.uvigo.es/~formella/doc/cd06/ConcurrentList.tgz>.

2 Use the concurrent list to implement a hashtable in the following way:

- There is an array of fixed size which is indexed by the keys of the objects. Each field of the array holds a concurrent list that stores the objects with the corresponding key.

Concurrent data structures II

- Implement at least the following operations: `insert` (inserts a new object into the table), `lookup` (returns true if the object is found in the table, otherwise false), and `delete` (deletes an object, if found in the table).
- ③ Implement a use case of the hashtable sufficiently large so you can realize measurements of execution time.
- ④ Compare your implementation with a direct usage of the `ConcurrentHashMap` of Java according to execution time and memory consumption.